

# PRODUCT INFORMATION

## THE GREASE GOBBLER WF

THE GREASE GOBBLER WF is a general purpose cleaner used for cleaning machinery, floors, metals, and plastics.

### PHYSICAL CHARACTERISTICS:

Appearance:	Clear liquid
pH:	10.0 ± 0.5
Odor:	Mild citrus odor
Solubility:	Completely soluble in water
Stability:	Stable under normal storage conditions. Store above 40° F.

### APPLICATION:

THE GREASE GOBBLER WF is designed as an all purpose cleaner. It exhibits excellent surface wetting properties to lift soils so they can be washed away. It can be diluted depending on the cleaning job. The following are recommended dilutions of WATER: THE GREASE GOBBLER WF:

Grease:	No Dilution
Heavy Oils:	3:1
Light Oils:	11:1
Brake Dust:	10:1
Floors and general purpose cleaning:	20:1
Windows:	50:1

Warm water will improve effectiveness on grease and heavy oils.

THE GREASE GOBBLER WF is used by the military for applications such as the cleaning of flight decks where heavy grease may be hazardous. In cold applications like this, it is recommended that the product be used straight or diluted not more than 3:1. Different solution rates may be necessary depending on the soils. Thorough rinsing may be required so that residues are not left behind.

The data and suggested formulations in this bulletin are based on information believed to be reliable and are offered solely for evaluation, investigation and verification of the numerous factors affecting results. Paradigm Lab's products are sold with the understanding the purchasers will make their own tests to determine the suitability of these products for the particular use. We assume no liability or responsibility for any damage to person or property resulting from or incident to the use of our products.

Statements concerning the use of Paradigm Lab's products are not be construed as recommending the infringement of any patent, and no liability for infringement arising out of any such use is assumed.



**PARADIGM LABS, Inc.**

P.O. BOX 138, PINE GROVE, PA 17963-0138  
(570) 345-2600 – FAX (570) 345-2800