

PRODUCT INFORMATION

PARACID HD2

PARACID HD2 is a highly concentrated phosphoric cleaner specifically designed to clean and brighten aluminum, stainless steel, galvanized steel and masonry. On aluminum PARACID HD2 leaves a “nickel-bright” shine and reduces soil build-up. PARACID HD2 will also remove lime, scale and mildew from tile and concrete as well as many other surfaces.

PARACID HD2 can not be used in food. However, it can be used to clean vessels and piping since it is manufactured in accordance with USDS requirements. When used on food handling equipment rinse thoroughly with clean potable water to remove all residue.

SPECIFICATIONS:

Appearance:	Clear liquid
pH:	3.0-4.0
Solubility:	Completely soluble in water.
Specific gravity:	1.18

APPLICATION:

Spray on surface to be cleaned and allow to sit for several minutes.
Flush with clean water until all residue is removed.
Prolonged exposure on glass may cause the glass to discolor or cloud.

SAFETY:

Clothing: Chemical resistant gloves, goggles and apron.

FIRST AID:

Eye: Flush with water for 15 minutes. Consult a physician.

Skin: Wash with plenty of water. If skin is burned consult a physician.

Inhalation: Remove to fresh air. Consult a physician.

Ingestion: Do NOT induce vomiting. Drink 2 glasses of water. Consult a physician.

The data and suggested formulations in this bulletin are based on information believed to be reliable and are offered solely for evaluation, investigation and verification of the numerous factors affecting results. Paradigm Lab's products are sold with the understanding the purchasers will make their own tests to determine the suitability of these products for the particular use. We assume no liability or responsibility for any damage to person or property resulting from or incident to the use of our products.

Statements concerning the use of Paradigm Lab's products are not be construed as recommending the infringement of any patent, and no liability for infringement arising out of any such use is assumed.



PARADIGM LABS, Inc.

P.O. BOX 138, PINE GROVE, PA 17963-0138
(570) 345-2600 – FAX (570) 345-2800

PRODUCT INFORMATION

PARACID HD2 (Continued)

PARACID HD2 works to remove algae, river soils, and scale. It brightens and cleans aluminum pontoons, aluminum railing, galvanized trailers and chrome, stainless steel and will remove soils from stone facing and concrete.

Directions for Use

- 1.) Use protective glasses and rubber gloves with any cleaning agents.
- 2.) Pour PARACID HD2 into a common garden-type sprayer.
- 3.) Start a mist-type, side-to-side spraying action, for the bottom of the pontoon log to the top.
*Note: PARACID HD2 should be applied to a dry surface to allow maximum concentration.
- 4.) Adequate coverage is attained when PARACID HD2 forms an even, foamy coat.
- 5.) Allow PARACID HD2 3 to 5 minutes time to clean and brighten aluminum.
*Note: Do not brush or add water to the foam, it will only dilute the mixture. Also, do not allow PARACID HD2 to dry.
- 6.) Wash off foam with a garden hose and spray nozzle or a power washer. Be careful not to aim rinsing spray at an individual who could inadvertently be burned.
- 7.) Return PARACID HD2 from garden sprayer to original container and rinse sprayer thoroughly after use.

***Warning:** PARACID HD2 is designed to work best on oxidized aluminum (a boat, which has been in use, will show signs of “graying” or a waterline mark.)

PARACID HD2 will not harm most upholstery or carpeted surfaces. If overspray occurs on any of these surfaces simply rinse immediately with water.

PARACID HD2 should not be used on New Rolled sheet aluminum.

The data and suggested formulations in this bulletin are based on information believed to be reliable and are offered solely for evaluation, investigation and verification of the numerous factors affecting results. Paradigm Lab's products are sold with the understanding the purchasers will make their own tests to determine the suitability of these products for the particular use. We assume no liability or responsibility for any damage to person or property resulting from or incident to the use of our products.

Statements concerning the use of Paradigm Lab's products are not be construed as recommending the infringement of any patent, and no liability for infringement arising out of any such use is assumed.



PARADIGM LABS, Inc.

P.O. BOX 138, PINE GROVE, PA 17963-0138
(570) 345-2600 – FAX (570) 345-2800